

## FOUNDRY DIVISION

Date : 07/03/17

Description of Material: Premixed Silica Ramming Mass with Boric acid

Annual Quantity : 36 MT

### Pre-qualification criteria


Cl. No.	Description	Vendor to comment	
		Complied / Not complied	Supporting relevant document to be submitted
1.	Vendor should be able to supply Premixed Silica Ramming Mass with 1% Boric Acid to purchase specification AA53614 Rev 02.	Yes/No	Not required
2.	Party should have Monthly capacity of supplying Minimum 6 MT Premixed Silica Ramming Mass with Boric acid to BHEL.	Yes/No	Not required
3.	The party should have experience of successful execution of supply of Premixed Silica Ramming Mass with Boric acid within last two years ending last day of previous month from opening of the Bid.	Yes/No	a. Un-price PO copies. b. Supply proof (challan/ Invoice/ Performance certificate)
4.	Financial standing through latest Annual Report (Balance Sheet and Profit & Loss Account) of last 3 years to be submitted	Yes/No	Annual report (balance sheet and profit & loss account) for last 3 years

**Compliance of above PQR is mandatory. In absence of compliance of above, vendor's offer is liable to be rejected.**

Sr. Engineer (FYM)

DGM (FYM)

DGM & HoD (FYM)

  
Soven Singh Negi  
Asst. Engr. (FYM)